



## Installation Subwoofer WX130



WX130 with front frame for flexible installation



## WX130 subwoofer for flush-mount installation



## Installation Subwoofer WX130 Specifications



Code Codice	Code Code	WX130
Material Materiale	Matériel Material	Steel
Type Tipo	Type Typ	Bandpass
Loudspeaker Ø (cm) Altoparlante Ø (cm)	Haut-parleur Ø (cm) Lautsprecher Ø (cm)	1 x 32,0
Power RMS (W) Potenza RMS (W)	Puissance RMS (W) Leistung RMS (W)	1000
Max Power (W) Potenza Massima (W)	Puissance maximale (W) Max. Leistung (W)	2000
Frequency response (Hz) Risp. in frequenza (Hz)	Rép. en fréquence (Hz) Frequenzgang (Hz)	25 - 120
Sensitivity dB (2,83V/1m) Sensibilità dB (2,83V/1m)	Sensibilité dB (2,83V/1m) Empfindlichkeit dB (2,83V/1m)	91
Nominal impedance (Ω) Impedenza nominale (Ω)	Impédance nominale (Ω) Nennimpedanz (Ω)	4
Dimensions H x W x D (cm) Dimensioni A x L x P (cm)	Dimensions H x L x P (cm) Abmessungen H x B x D (cm)	35,0 x 35,0 x 40,0 (box)
Weight Peso (Kg)	Poids Gewicht (Kg)	27,2
Pipe W (cm)- Ø (cm) Tubo L (cm)- Ø (cm)	Tuyeau L (cm)- Ø (cm) Rohr B (cm)- Ø (cm)	50,0 - 11,1